

Insects >> Butterflies >> Danainae >> Euploea mulciber mulciber

Euploea mulciber mulciber



Male underside

Cramer 1777 - The Striped Blue Crow

Koh samui and Koh Pha Ngan.

A relatively common species on the islands, which can not be mistaken for any of the other members of this genus. It has, by far, the brightest blue sheen on the forewings of all the Euploea.

It is generally to be found in and around forests and secondary vegetation.

Flight Period

Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Х	Х	Х	Х	Х		Х	Х		Х	Х	Х

Wingspan

80 - 90mm

Early Stages


Fully known. More detailed life history information is available from the following resource: ButterflyCircle Blog (courtesy of Dr. Horace Tan.)

Larval Foodplants

Species of Nerium, Ficus and Aristolochia

Range

Southern India through Indo-China to Southern China. Through the Malay Peninsular, Borneo, Sundaland and the Philippines. Not found on the Moluccas or further East.



<< Back to **Danainae** overview

Home | About | Insects | Cercopoidea | Expeditions | Galleries | Contact | Links and Resources | Disclaimer | Privacy | Sitemap

© 2000-2022 Samuibutterflies.com and Les Day Design and Development by tomjansen.net