

Insects >> Butterflies >> Lycaenidae >> Rapala suffusa barthema

Rapala suffusa barthema



<< Back to Lycaenidae overview

Distant 1885 - The Suffused Flash

A moderately common species of secondary vegetation and orchards. It is particularly fond of coastal areas where its preferred hostplant, the Sea Hibiscus grows.

Flight Period

Jan Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
		Х	Х			Х		Х		Х

Wingspan

25 - 32mm

Early Stages

Known. More detailed life history information is available from the following resource: ButterflyCircle Blog (courtesy of Dr. Horace Tan.)

Larval Foodplant

Hibiscus tiliaceus (Malvaceae) and Paraserianthes falcataria (Mimosaceae)

Range

Assam, Myanmar, through Thailand to Malaysia and Singapore.

 $\underline{Home} \mid \underline{About} \mid \underline{Insects} \mid \underline{Cercopoidea} \mid \underline{Expeditions} \mid \underline{Galleries} \mid \underline{Contact} \mid \underline{Links \ and \ Resources} \mid \underline{Disclaimer} \mid \underline{Privacy} \mid \underline{Sitemap} \mid \underline{Contact} \mid \underline{Con$

Design and Development by tomjansen.net